NSN 5962-00-321-8425

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-321-8425

Body Outside Diameter:
Between 0.595 inches and 0.605 inches
Body Height:
Between 0.245 inches and 0.265 inches
Maximum Power Dissipation Rating:
500.0 milliwatts
Operating Tempurature Range:
55.0/+125.0 degrees celsius
Storage Tempurature Range:
65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and hybrid and negative outputs and positive outputs
nclosure Material:
Glass and metal
nclosure Configuration:
Can
nput Circuit Pattern:
3 input
Design Function And Quantity:
1 driver, switch, field effect transistor
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
23.0 volts power source and 5.5 volts power source
Time Rating Per Chacteristic:
180.00 nanoseconds propagation delay time, low to high level output and 180.00 nanoseconds propagation delay time, high to low level
putput
Test Data Document:
32577-934179 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
12 pin
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A458a0