

View Online at <https://aerobasegroup.com/nsn/5962-00-329-4691>

Body Length:

Between 0.660 inches and 0.785 inches

Body Width:

Between 0.220 inches and 0.280 inches

Body Height:

Between 0.140 inches and 0.180 inches

Maximum Power Dissipation Rating:

140.0 milliwatts

Operating Temperature Range:

+0.0/+75.0 degrees celsius

Storage Temperature Range:

-55.0/+125.0 degrees celsius

Features Provided:

Monolithic and negative outputs and high speed and high gain and adjustable

Inclosure Material:

Plastic

Inclosure Configuration:

Dual-in-line

Criticality Code Justification:

Feat

Design Function And Quantity:

3 amplifier, differential and 2 schmitt trigger

Case Outline Source And Designator:

T0-116 joint electron device engineering council

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

-10.0 volts power source and 0.0 volts power source

Time Rating Per Characteristic:

8.50 nanoseconds propagation delay time, low to high level output and 7.50 nanoseconds propagation delay time, high to low level output

Special Features:

Item must comply with rqmt of @desc production standard no. L01477; for navy nuclear propulsion plant products only

Terminal Type And Quantity:

14 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A458a0