## NSN 5962-00-350-8422

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-350-8422

Body Leng	gth:
0.785 inch	es
Body Widt	h:
0.260 inch	es
Body Heig	ht:
0.180 inch	es
Maximum	Power Dissipation Rating:
400.0 milliv	vatts
Operating	Tempurature Range:
-55.0/+125	.0 degrees celsius
Storage To	empurature Range:
-65.0/+150	.0 degrees celsius
Features F	Provided:
Hermetical	ly sealed and monolithic and positive outputs and medium speed and expandable
Inclosure	Material:
Ceramic a	nd glass
Inclosure	Configuration:
Dual-in-line	
Output Lo	gic Form:
Diode-tran	sistor logic
Input Circ	uit Pattern:
Dual 4 inpu	ut de la constance de la const
Design Fu	nction And Quantity:
2 gate, na	nd-or buffer
Case Outl	ine Source And Designator:
T0-116 joir	t electron device engineering council
Terminal S	Surface Treatment:
Solder	
Voltage Ra	ating And Type Per Characteristic:
-0.5 volts	power source and 5.5 volts power source
Test Data	Document:
80063-sm-	b-525277 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing
etc.; exclu	des any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal 1	Type And Quantity:
14 printed	circuit
Shelf Life:	
N/a	
Unit Of Me	easure:
Demilitaria	zation:
Yes - demi	l/mli
Fiig:	
A458a0	