

View Online at <https://aerobasegroup.com/nsn/5962-00-360-6513>

Body Length:

Between 0.623 inches and 0.640 inches

Body Width:

Between 0.377 inches and 0.390 inches

Body Height:

0.140 inches

Maximum Power Dissipation Rating:

1.0 milliwatts

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Features Provided:

Low power and hybrid and hermetically sealed and negative outputs and positive outputs

Inclosure Material:

Ceramic and glass

Inclosure Configuration:

Flat pack

Input Circuit Pattern:

Hex 2 input

Design Function And Quantity:

6 translator, voltage

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

-1.5 volts power source and 5.5 volts power source

Time Rating Per Characteristic:

185.00 nanoseconds propagation delay time, low to high level output and 225.00 nanoseconds propagation delay time, high to low level output

Test Data Document:

06481-970320 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

22 flat leads

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0