## NSN 5962-00-361-8732

Digital Microcircuit - Page 1 of 2



etc., that reflect specification type data in specification

View Online at https://aerobasegroup.com/nsn/5962-00-361-8732

0.785 inches	
Body Width:	
Between 0.220 inc	nes and 0.310 inches
Body Height:	
Between 0.140 inc	nes and 0.185 inches
Maximum Power	Dissipation Rating:
324.0 milliwatts	
Operating Tempu	ature Range:
-55.0/+125.0 degre	es celsius
Storage Tempura	ure Range:
-65.0/+150.0 degre	es celsius
Features Provided	l:
Hermetically seale	l and monolithic and positive outputs and high voltage
Inclosure Materia	
Ceramic and glass	
Inclosure Configu	ration:
Dual-in-line	
Output Logic Fori	n:
Transistor-transisto	r logic
Input Circuit Patte	rn:
Hex 1 input	
Design Function	And Quantity:
6 buffer, inverting	
Case Outline Sou	ce And Designator:
D-1 mil-m-38510	
Terminal Surface	Treatment:
Solder	
Voltage Rating Ar	d Type Per Characteristic:
-1.5 volts power se	urce and 5.5 volts power source
Test Data Docum	ent:
81349-mil-m-3851(	specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specific
format; excludes c	ommercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
	performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type An	
14 printed circuit	-
Specification Data	:
-	/8 government specification
Shelf Life:	
N/a	
Unit Of Measure:	
 Demilitarization:	
Yes - demil/mli	

## **NSN 5962-00-361-8732** Digital Microcircuit - Page 2 of 2

Fiig: A458a0

