NSN 5962-00-374-8300

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-374-8300

view Online at https://aerobasegroup.com/nsn/5962-00-374-6300
Body Length:
Between 1.200 inches and 1.290 inches
Body Width:
Between 0.515 inches and 0.580 inches
Body Height:
Between 0.050 inches and 0.230 inches
Maximum Power Dissipation Rating:
580.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and monolithic and positive outputs and medium speed and w/enable
Inclosure Material:
Ceramic and metal
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
Dual 6 input
Design Function And Quantity:
2 register, buffer
Case Outline Source And Designator:
-0-015-aa joint electron device engineering council
Terminal Surface Treatment:
Gold
Voltage Rating And Type Per Characteristic:
-1.5 volts power source and 5.5 volts power source
Time Rating Per Chacteristic:
40.00 nanoseconds propagation delay time, low to high level output and 45.00 nanoseconds propagation delay time, high to low level
output
Precious Material And Location:
Terminal and lid surfaces gold
Precious Material:
Gold
Terminal Type And Quantity:
24 printed circuit
Shelf Life:

--

N/a

Unit Of Measure:

NSN 5962-00-374-8300

Digital Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0