# NSN 5962-00-374-8304

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-374-8304

### **Body Length:**

Between 1.200 inches and 1.290 inches

## Body Width:

Between 0.515 inches and 0.580 inches

## **Body Height:**

Between 0.050 inches and 0.230 inches

## **Maximum Power Dissipation Rating:**

580.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and monolithic and positive outputs and medium speed and w/enable and w/complement

#### **Inclosure Material:**

Ceramic and metal

## Inclosure Configuration:

Dual-in-line

#### **Output Logic Form:**

Transistor-transistor logic

#### Input Circuit Pattern:

12 input

#### **Design Function And Quantity:**

1 register, buffer

#### Case Outline Source And Designator:

-0-015-aa joint electron device engineering council

#### **Terminal Surface Treatment:**

Gold

#### Voltage Rating And Type Per Characteristic:

-1.5 volts power source and 5.5 volts power source

#### Time Rating Per Chacteristic:

40.00 nanoseconds propagation delay time, low to high level output and 45.00 nanoseconds propagation delay time, high to low level

## output

#### **Precious Material And Location:**

Terminal and lid surfaces gold

#### **Precious Material:**

Gold

#### **Terminal Type And Quantity:**

24 printed circuit

#### Shelf Life:

N/a

#### Unit Of Measure:

# NSN 5962-00-374-8304

Digital Microcircuit - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A458a0

