# NSN 5962-00-408-5612

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-408-5612

## **Body Length:**

Between 0.660 inches and 0.785 inches

## **Body Width:**

Between 0.220 inches and 0.280 inches

# **Body Height:**

Between 0.140 inches and 0.180 inches

## Maximum Power Dissipation Rating:

650.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

## Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **Features Provided:**

Hermetically sealed and monolithic and positive outputs and high speed and w/enable

#### **Inclosure Material:**

Ceramic and glass

## Inclosure Configuration:

Dual-in-line

## **Output Logic Form:**

Transistor-transistor logic

## Input Circuit Pattern:

Quad 2 input

## **Design Function And Quantity:**

4 gate, nand

## Case Outline Source And Designator:

T0-116 joint electron device engineering council

## **Time Rating Per Chacteristic:**

6.00 nanoseconds propagation delay time, low to high level output

## Test Data Document:

97942-649a833 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

```
Shelf Life:
```

N/a

## Unit Of Measure:

--

## Demilitarization:

No

Fiig:

A458a0