NSN 5962-00-409-2913

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-409-2913 **Body Length:** 0.640 inches **Body Width:** 0.560 inches **Body Height:** 0.190 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -55.0/+125.0 degrees celsius **End Application:** Receiving set, countermeasures, type an/alr-5 (50) **Features Provided:** Hybrid and monolithic and positive outputs **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Single-in-line **Input Circuit Pattern:** 1 input **Design Function And Quantity:** 1 amplifier, hybrid **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 12.2 volts power source **Time Rating Per Chacteristic:** 100.00 nanoseconds propagation delay time, low to high level output and 100.00 nanoseconds propagation delay time, high to low level output **Test Data Document:** 37695-619460 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 5 pin Shelf Life: N/a **Unit Of Measure:**

Fiig:

A458a0

Demilitarization: Yes - demil/mli