## NSN 5962-00-428-9124

Digital Microcircuit - Page 1 of 1

A458a0



View Online at https://aerobasegroup.com/nsn/5962-00-428-9124

| Overall Width:   |
|--|
| Between 0.400 inches and 0.510 inches  |
| Body Length:   |
| Between 0.240 inches and 0.260 inches  |
| Body Width:  |
| Between 0.140 inches and 0.155 inches  |
| Body Height:   |
| Between 0.030 inches and 0.055 inches  |
| Operating Tempurature Range:   |
| -55.0/+125.0 degrees celsius   |
| Storage Tempurature Range:   |
| -65.0/+150.0 degrees celsius   |
| Features Provided:   |
| Monolithic and w/clear and w/clock   |
| Inclosure Material:  |
| Ceramic  |
| Inclosure Configuration:   |
| Flat pack  |
| Output Logic Form:   |
| Transistor-transistor logic  |
| Input Circuit Pattern:   |
| 4 input  |
| Design Function And Quantity:  |
| 2 flip-flop, j-k   |
| Terminal Surface Treatment:  |
| Solder   |
| Voltage Rating And Type Per Characteristic:  |
| 7.0 volts power source   |
| Test Data Document:  |
| 05869-717320-14 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, |
| etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)                    |
| Terminal Type And Quantity:  |
| 14 flat leads  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
| <del></del>  |
| Demilitarization:  |
| Yes - demil/mli  |
| Fiig:  |