NSN 5962-00-430-8415

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-430-8415

Body Longth	
Body Length: 0.725 inches	
Body Width:	
0.265 inches	
Body Height:	
0.160 inches	
Maximum Power Dissipation Rating:	
600.0 milliwatts	
Operating Tempurature Range:	
-55.0/+125.0 degrees celsius	
Storage Tempurature Range:	
-65.0/+150.0 degrees celsius	
Features Provided:	
Monolithic and hermetically sealed and positive outputs and w/strobe	
Inclosure Material:	
Ceramic and glass	
Inclosure Configuration:	
Dual-in-line	
Input Circuit Pattern:	
Dual 3 input	
Design Function And Quantity:	
2 receiver, line	
Terminal Surface Treatment:	
Solder	
Voltage Rating And Type Per Characteristic:	
20.0 volts power source	
Time Rating Per Chacteristic:	
45.00 nanoseconds propagation delay time, high to low level output	
Test Data Document:	
92755-20a2918 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification forma	t;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental	
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Terminal Type And Quantity:	
14 printed circuit	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Yes - demil/mli	
Fila:	

Fiig:

A458a0