NSN 5962-00-433-2049

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-433-2049

Bo	dy Length:
	00 inches
	dy Width:
	75 inches
	dy Height:
	30 inches
	kimum Power Dissipation Rating:
) milliwatts
	erating Tempurature Range:
	0/+125.0 degrees celsius
	rage Tempurature Range:
	0/+130.0 degrees celsius
	tures Provided:
Мо	nolithic and edge triggered and positive outputs and high speed
	losure Material:
Pla	stic
Inc	osure Configuration:
Dua	al-in-line
Out	put Logic Form:
Tra	nsistor-transistor logic
Inp	ut Circuit Pattern:
5 in	put
Des	sign Function And Quantity:
1 fli	p-flop, pulse triggered
Ter	minal Surface Treatment:
Sol	der
Vol	tage Rating And Type Per Characteristic:
5.5	volts power source
Tes	t Data Document:
191	33-130336 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
exc	ludes any specification, standard or other document that may be referenced in a basic governing drawing)
Ter	minal Type And Quantity:
13	printed circuit
She	alf Life:
N/a	
Uni	t Of Measure:
	nilitarization:
	- demil/mli
Fiiç	
A45	38a0