## NSN 5962-00-436-1758

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-436-1758

Body	Outside	Diameter:
------	---------	-----------

Between 0.335 inches and 0.370 inches

**Body Height:** 

Between 0.165 inches and 0.185 inches

**Maximum Power Dissipation Rating:** 

91.0 milliwatts

## **Operating Tempurature Range:**

+15.0/+55.0 degrees celsius

## **Storage Tempurature Range:**

-55.0/+125.0 degrees celsius

## **End Application:**

Sonar sets, an/bqs-14a/15; sturgeon class ssn (637); wasp class lhd; submarine acoustic sonar systems; submarine miscellaneous sonar and adp systems; los angeles class ssn (688) submarine communications and antenna systems; blue ridge class lcc-19; nimitz class cvn; forrestal class cv

## **Features Provided:**

Monolithic and hermetically sealed and positive outputs and medium speed and w/enable and medium power

#### **Inclosure Material:**

Glass and metal

## **Inclosure Configuration:**

Can

## **Output Logic Form:**

Resistor-transistor logic

## **Input Circuit Pattern:**

4 input

## **Criticality Code Justification:**

Feat

## **Design Function And Quantity:**

1 flip-flop, j-k, clocked

#### **Case Outline Source And Designator:**

T0-99 joint electron device engineering council

## **Terminal Surface Treatment:**

Solder

## **Voltage Rating And Type Per Characteristic:**

4.0 volts power source

## **Time Rating Per Chacteristic:**

30.00 nanoseconds propagation delay time, low to high level output

## **Special Features:**

Weapon system essential

## **Terminal Type And Quantity:**

8 pin

## Shelf Life:

N/a

#### **Unit Of Measure:**

--

# NSN 5962-00-436-1758

Digital Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0