## NSN 5962-00-454-6452

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-454-6452

Body Outside Diameter:
Between 0.335 inches and 0.370 inches
Body Height:
Between 0.165 inches and 0.185 inches
Operating Tempurature Range:
-55.0/+150.0 degrees celsius
Storage Tempurature Range:
-55.0/+175.0 degrees celsius
Features Provided:
Monolithic and hermetically sealed and positive outputs
Inclosure Material:
Glass and metal
Inclosure Configuration:
Can
Input Circuit Pattern:
1 input
Design Function And Quantity:
1 amplifier, wideband
Case Outline Source And Designator:
T0-99 joint electron device engineering council
Terminal Surface Treatment:
Tin
Time Rating Per Chacteristic:
2.00 nanoseconds propagation delay time, low to high level output and 2.00 nanoseconds propagation delay time, high to low level output
Test Data Document:
98738-48+233214 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a
Unit Of Measure:
<del>-</del>
Demilitarization:
Yes - demil/mli
Fiig:
A458a0