

View Online at <https://aerobasegroup.com/nsn/5962-00-462-7746>

Body Length:

0.810 inches

Body Width:

Between 0.220 inches and 0.295 inches

Body Height:

0.180 inches

Maximum Power Dissipation Rating:

730.0 milliwatts

Operating Temperature Range:

+0.0/+100.0 degrees celsius

Storage Temperature Range:

-65.0/+150.0 degrees celsius

Features Provided:

Hermetically sealed and monolithic and positive outputs and complementary outputs and w/open collector

Inclosure Material:

Ceramic and glass

Inclosure Configuration:

Dual-in-line

Input Circuit Pattern:

Dual 3 input

Design Function And Quantity:

2 driver, line

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

5.5 volts power source

Time Rating Per Characteristic:

15.00 nanoseconds propagation delay time, low to high level output and 1000.00 nanoseconds propagation delay time, low to high level output and 100.00 nanoseconds propagation delay time, high to low level output and 5000.00 nanoseconds propagation delay time, high to low level output

Test Data Document:

82577-932020 standard (includes industry or association standards, individual manufactureer standards, etc.).

Terminal Type And Quantity:

16 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A458a0