

View Online at <https://aerobasegroup.com/nsn/5962-00-476-9896>

**Body Length:**

Between 0.240 inches and 0.265 inches

**Body Width:**

Between 0.245 inches and 0.255 inches

**Body Height:**

Between 0.070 inches and 0.080 inches

**Maximum Power Dissipation Rating:**

800.0 milliwatts

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Storage Temperature Range:**

-65.0/+150.0 degrees celsius

**Features Provided:**

High current and high voltage and hybrid

**Inclosure Material:**

Ceramic

**Inclosure Configuration:**

Flat pack

**Input Circuit Pattern:**

5 input

**Design Function And Quantity:**

1 driver

**Terminal Surface Treatment:**

Gold

**Time Rating Per Characteristic:**

275.00 nanoseconds propagation delay time, low to high level output and 195.00 nanoseconds propagation delay time, high to low level output

**Precious Material And Location:**

Terminal surfaces gold

**Precious Material:**

Gold

**Test Data Document:**

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A458a0