NSN 5962-00-482-4066

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-482-4066

Overall Length:
Between 0.750 inches and 0.785 inches
Overall Height:
0.360 inches
Body Length:
Between 0.750 inches and 0.785 inches
Body Width:
Between 0.240 inches and 0.295 inches
Body Height:
Between 0.160 inches and 0.180 inches
Maximum Power Dissipation Rating:
40.0 milliwatts
Operating Tempurature Range:
+0.0/+75.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
W/clock and w/preset and w/reset and monolithic and w/resistor and w/enable
Inclosure Material:
Ceramic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
9 input
Design Function And Quantity:
1 flip-flop, j-k, clocked
Current Rating Per Characteristic:
14.00 milliamperes reverse current, dc microamperes
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
5.5 volts input
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
14 printed circuit
Shelf Life:
N/a
Unit Of Measure:

--

NSN 5962-00-482-4066

Digital Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0