## NSN 5962-00-482-4067

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-482-4067 **Overall Length:** Between 0.750 inches and 0.785 inches **Overall Height:** 0.360 inches **Body Length:** Between 0.750 inches and 0.785 inches **Body Width:** Between 0.240 inches and 0.295 inches **Body Height:** Between 0.160 inches and 0.180 inches **Maximum Power Dissipation Rating:** 40.0 milliwatts **Operating Tempurature Range:** +0.0/+75.0 degrees celsius **Storage Tempurature Range:** -65.0/+150.0 degrees celsius **Features Provided:** W/clock and w/preset and w/reset and monolithic and w/resistor and w/enable **Inclosure Material:** Ceramic **Inclosure Configuration:** Dual-in-line **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** 9 input **Design Function And Quantity:** 1 flip-flop, j-k, clocked **Current Rating Per Characteristic:** 14.00 milliamperes reverse current, dc microamperes **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 5.5 volts input **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 14 printed circuit Shelf Life: N/a **Unit Of Measure:** 

--

## NSN 5962-00-482-4067

Digital Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0