NSN 5962-00-491-4874

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-491-4874

View Online at https://aerobasegroup.com/nsn/5962-00-491-4874
Body Length:
Between 0.995 inches and 1.005 inches
Body Width:
Between 0.745 inches and 0.755 inches
Body Height:
0.068 inches
Operating Tempurature Range:
-55.0/+100.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and monolithic and w/buffered output and w/enable and negative outputs and positive outputs
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Flat pack
Output Logic Form:
Diode-transistor logic
Input Circuit Pattern:
27 input
Design Function And Quantity:
1 counter, binary
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-0.3 volts power source and 6.0 volts power source
Time Rating Per Chacteristic:
115.00 nanoseconds propagation delay time, low to high level output and 115.00 nanoseconds propagation delay time, high to low level
output
Test Data Document:
17863-7104098 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
36 flat leads
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
Yes - demil/mli

Fiig: A458a0