## NSN 5962-00-515-2489

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-515-2489

Body Length:	
0.390 inches	
Body Width:	
Between 0.235 inc	hes and 0.260 inches
Body Height:	
Between 0.045 inc	hes and 0.085 inches
Maximum Power	Dissipation Rating:
400.0 milliwatts	
Operating Tempu	rature Range:
-55.0/+125.0 degr	es celsius
Storage Tempura	ture Range:
-65.0/+150.0 degre	ees celsius
Features Provide	d:
Hermetically seale	d and monolithic and positive outputs and w/totem pole output
Inclosure Materia	l:
Ceramic and glass	
Inclosure Config	iration:
Flat pack	
Output Logic For	m:
Transistor-transist	or logic
Input Circuit Patt	ern:
Quad 2 input	
Design Function	And Quantity:
4 gate, nand buffe	r
Case Outline Sou	rce And Designator:
F-2 mil-m-38510	
Terminal Surface	Treatment:
Solder	
Voltage Rating A	nd Type Per Characteristic:
5.5 volts power so	urce
Test Data Docum	ent:
81349-mil-m-3851	0 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes	commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and	performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type Ar	d Quantity:
14 flat leads	
Specification Dat	a:
81349-mil-m-3851	0/3 government specification
Shelf Life:	
N/a	
Unit Of Measure:	
 Demilitarization:	
Yes - demil/mli	

## **NSN 5962-00-515-2489** Digital Microcircuit - Page 2 of 2

Fiig: A458a0

