NSN 5962-00-530-4903Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-530-4903
Body Length:
Between 0.570 inches and 0.640 inches
Body Width:
Between 0.240 inches and 0.275 inches
Body Height:
Between 0.040 inches and 0.085 inches
Maximum Power Dissipation Rating:
420.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+200.0 degrees celsius
Features Provided:
Monolithic and hermetically sealed and w/complement and w/switch and positive outputs
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Flat pack
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
15 input
Design Function And Quantity:
1 multiplexer
Terminal Surface Treatment:
Gold
Voltage Rating And Type Per Characteristic:
5.5 volts power source
Special Features:
Formed leads
Precious Material And Location:
Terminal surface gold
Precious Material:
Gold
Test Data Document:
94117-310136 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification formation
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
24 flat leads
Shelf Life:
N/a

Unit Of Measure:

NSN 5962-00-530-4903

Digital Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0