# NSN 5962-00-534-7490

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-534-7490

#### **Body Outside Diameter:**

Between 0.335 inches and 0.370 inches

#### **Body Height:**

Between 0.165 inches and 0.185 inches

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Monolithic and hermetically sealed and positive outputs and negative outputs and w/field effect transistor switch

#### **Inclosure Material:**

Glass and metal

#### Inclosure Configuration:

Can

#### **Input Circuit Pattern:**

mpu

# 4 input

Design Function And Quantity:

1 switch, analog

### **Case Outline Source And Designator:**

T0-100 joint electron device engineering council

# **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

15.0 volts power source

#### **Time Rating Per Chacteristic:**

500.00 nanoseconds propagation delay time, low to high level output

#### **Test Data Document:**

94117-320010 standard (includes industry or association standards, individual manufactureer standards, etc.).

#### Terminal Type And Quantity:

10 pin

#### Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

Fiig:

A458a0