NSN 5962-00-553-8784

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-553-8784

The same and the s
Body Outside Diameter:
Between 0.335 inches and 0.370 inches
Body Height:
Between 0.165 inches and 0.185 inches
Maximum Power Dissipation Rating:
600.0 milliwatts
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-65.0/+160.0 degrees celsius
Features Provided:
Monolithic and hermetically sealed and negative outputs and positive outputs and w/enable and w/buffered output and bipolar and low power
Inclosure Material:
Glass and metal
Inclosure Configuration:
Can
Output Logic Form:
Complementary-metal oxide-semiconductor logic
Input Circuit Pattern:
3 input
Design Function And Quantity:
1 shift register, dynamic
Case Outline Source And Designator:
T0-99 joint electron device engineering council
Terminal Surface Treatment:
Gold
Voltage Rating And Type Per Characteristic:
20.0 volts power source
Precious Material And Location:
Terminals gold
Precious Material:
Gold
Test Data Document:
96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).
Terminal Type And Quantity:
8 pin
Shelf Life:
N/a
Unit Of Measure:

Demilitarization: Yes - demil/mli

NSN 5962-00-553-8784Digital Microcircuit - Page 2 of 2



Fiig:

A458a0