NSN 5962-00-593-6549

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-593-6549

Body Length:

Between 0.390 inches and 0.410 inches

Body Width:

Between 0.240 inches and 0.260 inches

Body Height:

Between 0.140 inches and 0.180 inches

Maximum Power Dissipation Rating:

800.0 milliwatts

Operating Tempurature Range:

+0.0/+70.0 degrees celsius

Storage Tempurature Range:

-65.0/+150.0 degrees celsius

End Application:

Type an/gpn-t3 air traffic control training set

Features Provided:

High current and high speed and high voltage and internally compensated and monolithic and positive outputs

Inclosure Material:

Plastic

Inclosure Configuration:

Dual-in-line

Input Circuit Pattern:

Dual 2 input

Design Function And Quantity:

2 driver, high current and 2 driver, peripheral

Terminal Surface Treatment:

Silver

Time Rating Per Chacteristic:

50.00 nanoseconds propagation delay time, low to high level output and 25.00 nanoseconds propagation delay time, high to low level output

Special Features:

Positive-nor logic

Precious Material And Location:

Terminals silver

Precious Material:

Silver

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A458a0