Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-603-7112

Body Length:	
0.873 inches	
Body Width:	
0.513 inches	
Body Height:	
0.275 inches	
Maximum Power Dissipation Rating:	
2.5 watts	
Operating Tempurature Range:	
-20.0/+85.0 degrees celsius	
Storage Tempurature Range:	
-55.0/+125.0 degrees celsius	
Features Provided:	
Hermetically sealed and monolithic and positive outputs	
Inclosure Material:	
Glass and metal	
Inclosure Configuration:	
Dual-in-line	
Input Circuit Pattern:	
4 input	
Design Function And Quantity:	
1 regulator, voltage	
Terminal Surface Treatment:	
Tin	
Time Rating Per Chacteristic:	
50.00 nanoseconds propagation delay time, low to high level output	
Special Features:	
Trip point voltage 38.0v dc	
Precious Material And Location:	
Body surface gold	
Precious Material:	
Gold	
Test Data Document:	
26512-g-820nk drawing (this is the basic governing drawing, such as a contractor drawing, original equipment	manufacturer drawing. etc.:
excludes any specification, standard or other document that may be referenced in a basic governing drawing)	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Yes - demil/mli	
Fiig:	
J	