NSN 5962-00-603-9076

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-603-9076 **Body Length:** Between 0.800 inches and 0.925 inches **Body Width:** Between 0.220 inches and 0.325 inches **Body Height:** 0.205 inches **Maximum Power Dissipation Rating:** 500.0 milliwatts **Operating Tempurature Range:** +0.0/+70.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **End Application:** Type f-15 a flight simulator **Features Provided:** Monolithic and programmed and negative outputs and positive outputs and bipolar and high speed and low power and internally compensated and w/buffered output and adjustable **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Dual-in-line **Input Circuit Pattern:** 12 input **Design Function And Quantity:** 1 converter, digital to analog **Terminal Surface Treatment:** Solder Voltage Rating And Type Per Characteristic: 18.0 volts power source **Time Rating Per Chacteristic:** 1500.00 nanoseconds propagation delay time, low to high level output **Terminal Type And Quantity:** 18 printed circuit Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

Fiig:

A458a0