# NSN 5962-00-762-0617

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-762-0617

# **Body Length:**

Between 0.735 inches and 0.830 inches

# **Body Width:**

Between 0.245 inches and 0.295 inches

# **Body Height:**

Between 0.140 inches and 0.180 inches

# **Operating Tempurature Range:**

-65.0/+125.0 degrees celsius

### Storage Tempurature Range:

-65.0/+160.0 degrees celsius

### **Features Provided:**

Monolithic and hermetically sealed and positive outputs and expandable and high speed and w/decoded output and w/open collector and

wire-or outputs and schottky and bipolar

# Inclosure Material:

Ceramic and glass

### Inclosure Configuration:

Dual-in-line

### **Output Logic Form:**

Transistor-transistor logic

### Input Circuit Pattern:

10 input

### **Terminal Surface Treatment:**

Solder

### Voltage Rating And Type Per Characteristic:

-1.0 volts power source and 5.5 volts power source

### **Time Rating Per Chacteristic:**

5.00 nanoseconds propagation delay time, low to high level output and 5.00 nanoseconds propagation delay time, high to low level output

#### Memory Device Type:

Ram

### **Memory Capacity:**

Unknown

### **Terminal Type And Quantity:**

16 printed circuit

#### Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

Yes - demil/mli

# Fiig:

A458a0