## NSN 5962-00-816-5533

Digital Microcircuit - Page 1 of 1

Yes - demil/mli

**Fiig:** A458a0



View Online at https://aerobasegroup.com/nsn/5962-00-816-5533 **Body Length:** Between 0.245 inches and 0.255 inches **Body Width:** Between 0.240 inches and 0.260 inches **Body Height:** 0.065 inches **Maximum Power Dissipation Rating:** 150.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Electrostatic sensitive and monolithic and positive outputs and w/resistor **Inclosure Material:** Ceramic **Inclosure Configuration:** Flat pack **Output Logic Form:** Diode-transistor logic **Input Circuit Pattern:** 4 input **Design Function And Quantity:** 1 multivibrator, monostable **Time Rating Per Chacteristic:** 50.00 nanoseconds propagation delay time, low to high level output and 40.00 nanoseconds propagation delay time, high to low level output **Test Data Document:** 04660-77c805 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a **Unit Of Measure: Demilitarization:**