# NSN 5962-00-884-0129

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-884-0129

# **Body Length:**

Between 0.685 inches and 0.715 inches

# **Body Width:**

Between 0.230 inches and 0.265 inches

# **Body Height:**

0.125 inches

# **Maximum Power Dissipation Rating:**

30.0 milliwatts

#### **Operating Tempurature Range:**

+0.0/+75.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and monolithic and positive outputs

#### **Inclosure Material:**

# Ceramic and glass

Inclosure Configuration:

Dual-in-line

#### **Output Logic Form:**

Transistor-transistor logic

#### Input Circuit Pattern:

8 input

#### **Design Function And Quantity:**

1 gate, nand

#### **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

-1.5 volts power source and 5.5 volts power source

#### **Precious Material And Location:**

Terminal surface gold

#### **Precious Material:**

Gold

# Test Data Document:

13499-351-7082 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

14 printed circuit

# Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

# **NSN 5962-00-884-0129** Digital Microcircuit - Page 2 of 2

Fiig: A458a0

