## NSN 5962-00-901-3890

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-901-3890 **Body Length:** Between 0.240 inches and 0.260 inches **Body Width:** 0.260 inches **Body Height:** Between 0.030 inches and 0.060 inches **Maximum Power Dissipation Rating:** 250.0 milliwatts **Operating Tempurature Range:** +0.0/+70.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Internally compensated and hermetically sealed and negative outputs and positive outputs **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Flat pack **Input Circuit Pattern:** 5 input **Design Function And Quantity:** 1 amplifier, differential **Terminal Surface Treatment:** Gold Voltage Rating And Type Per Characteristic: 10.0 volts power source **Precious Material And Location:** Terminal surface gold **Precious Material:** Gold **Test Data Document:** 05869-710398 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 10 flat leads Shelf Life: N/a **Unit Of Measure: Demilitarization:** 

Fiig:

A458a0

Yes - demil/mli