NSN 5962-00-922-2637

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-922-2637
Body Length:
Between 0.240 inches and 0.260 inches
Body Width:
Between 0.120 inches and 0.150 inches
Body Height:
Between 0.030 inches and 0.070 inches
Maximum Power Dissipation Rating:
24.0 milliwatts
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-65.0/+125.0 degrees celsius
Features Provided:
Hermetically sealed and low power and monolithic and positive outputs
Inclosure Material:
Glass and metal
Inclosure Configuration:
Flat pack
Output Logic Form:
Transistor-transistor logic
Input Circuit Pattern:
Dual 5 input
Design Function And Quantity:
2 gate, nand-nor
Case Outline Source And Designator:
T0-84 joint electron device engineering council
Terminal Surface Treatment:
Gold
Voltage Rating And Type Per Characteristic:
7.0 volts power source
Time Rating Per Chacteristic:
30.00 nanoseconds propagation delay time, low to high level output
Precious Material And Location:
Body gold and terminals gold
Precious Material:
Gold
Terminal Type And Quantity:
14 flat leads
Shelf Life:
N/a

--

Unit Of Measure:

NSN 5962-00-922-2637

Digital Microcircuit - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A458a0