NSN 5962-00-936-4244

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-00-936-4244

| Body Length: | |
|------------------------|---|
| 0.780 inches | |
| Body Width: | |
| 0.250 inches | |
| Body Height: | |
| 0.180 inches | |
| Maximum Power Diss | ipation Rating: |
| 600.0 milliwatts | |
| Operating Tempuratu | re Range: |
| +0.0/+70.0 degrees cel | sius |
| Storage Tempurature | Range: |
| -65.0/+150.0 degrees o | zelsius |
| Features Provided: | |
| W/strobe and high spe | ed and positive outputs and w/resistor |
| Inclosure Material: | |
| Plastic | |
| Inclosure Configurati | on: |
| Dual-in-line | |
| Input Circuit Pattern: | |
| Dual 3 input | |
| Design Function And | Quantity: |
| 2 comparator, voltage, | differential |
| Terminal Surface Trea | atment: |
| Tin | |
| Time Rating Per Chao | eteristic: |
| 80.00 nanoseconds pr | ropagation delay time, low to high level output and 80.00 nanoseconds propagation delay time, high to low level |
| output | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |
| | |
| Demilitarization: | |
| Yes - demil/mli | |
| Fiig: | |
| A458a0 | |