NSN 5962-00-936-9264

Linear Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-00-936-9264 **Body Length:** 0.390 inches **Body Width:** 0.265 inches **Body Height:** 0.063 inches **Maximum Power Dissipation Rating:** 0.2 watts **Operating Tempurature Range:** -65.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+175.0 degrees celsius **Features Provided:** Hermetically sealed and monolithic **Inclosure Material:** Ceramic and glass and metal **Inclosure Configuration:** Flat pack **Input Circuit Pattern:** 4 channel **Design Function And Quantity:** 4 switch, analog **Terminal Surface Treatment:** Gold Voltage Rating And Type Per Characteristic: -15.0 volts power source and 22.0 volts power source **Special Features:** 20 na maximum leakage current **Precious Material And Location:** Terminals gold **Precious Material:** Gold **Test Data Document:** 06481-970044 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 14 flat leads Shelf Life: N/a **Unit Of Measure:**

Demilitarization: Yes - demil/mli

NSN 5962-00-936-9264

Linear Microcircuit - Page 2 of 2



Fiig:

A458a0