NSN 5962-01-004-2584

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-004-2584 **Body Length:** 0.620 inches **Body Width:** Between 0.365 inches and 0.395 inches **Body Height:** Between 0.065 inches and 0.090 inches **Maximum Power Dissipation Rating:** 300.0 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Monolithic and hermetically sealed and high speed and w/enable and resettable and w/storage and positive outputs **Inclosure Material:** Ceramic and metal **Inclosure Configuration:** Flat pack **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** 14 input **Design Function And Quantity:** 2 latch, d **Terminal Surface Treatment:** Gold **Voltage Rating And Type Per Characteristic:** -0.5 volts power source and 5.5 volts power source **Precious Material And Location:** Terminals gold **Precious Material:** Gold **Test Data Document:** 96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.). **Terminal Type And Quantity:** 24 flat leads Shelf Life: N/a **Unit Of Measure:**

Demilitarization: Yes - demil/mli

NSN 5962-01-004-2584Digital Microcircuit - Page 2 of 2



Fiig:

A458a0