# NSN 5962-01-011-7816

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-011-7816

#### Body Length:

Between 0.660 inches and 0.785 inches

#### Body Width:

Between 0.220 inches and 0.280 inches

#### **Body Height:**

Between 0.140 inches and 0.180 inches

#### **Maximum Power Dissipation Rating:**

65.0 milliwatts

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Hermetically sealed and monolithic and positive outputs and low power and edge triggered and resettable

#### **Inclosure Material:**

Ceramic and glass

## Inclosure Configuration:

Dual-in-line

#### **Output Logic Form:**

Complementary-metal oxide-semiconductor logic

#### Input Circuit Pattern:

6 input

#### **Design Function And Quantity:**

1 counter, binary coded decimal and 1 counter, bi-quinary

#### Case Outline Source And Designator:

T0-116 joint electron device engineering council

#### **Terminal Surface Treatment:**

Tin

#### Voltage Rating And Type Per Characteristic:

5.5 volts power source and -1.5 volts power source

#### **Special Features:**

Design function and qty: counter, decade single; fan-out qty: 10

## Test Data Document:

96906-mil-std-883 standard (includes industry or association standards, individual manufactureer standards, etc.).

# Terminal Type And Quantity:

14 printed circuit

# Shelf Life:

N/a

# Unit Of Measure:

--

# Demilitarization:

Yes - demil/mli

# **NSN 5962-01-011-7816** Digital Microcircuit - Page 2 of 2

Fiig: A458a0

