## NSN 5962-01-013-7656

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-013-7656 **Body Length:** 0.643 inches **Body Width:** 0.505 inches **Body Height:** Between 0.140 inches and 0.190 inches **Maximum Power Dissipation Rating:** 500.0 milliwatts **Operating Tempurature Range:** +0.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Monolithic and positive outputs and adjustable and fixed **Inclosure Material: Plastic Inclosure Configuration:** Single-in-line **Input Circuit Pattern:** 1 input **Design Function And Quantity:** 1 regulator, voltage **Terminal Surface Treatment:** Tin Voltage Rating And Type Per Characteristic: 35.0 volts power source **Time Rating Per Chacteristic:** 200.00 nanoseconds propagation delay time, low to high level output and 200.00 nanoseconds propagation delay time, high to low level output **Test Data Document:** 77646-101580 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 3 pin Shelf Life: N/a **Unit Of Measure:** 

Fiig:

A458a0

**Demilitarization:** Yes - demil/mli