NSN 5962-01-014-9628

Linear Microcircuit - Page 1 of 1

Fiig: A458a0



View Online at https://aerobasegroup.com/nsn/5962-01-014-9628

Body Length:
Between 0.700 inches and 0.800 inches
Body Width:
Between 0.420 inches and 0.480 inches
Body Height:
Between 0.130 inches and 0.150 inches
Maximum Power Dissipation Rating:
585.0 milliwatts
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
Features Provided:
Hermetically sealed and hybrid and negative outputs and positive outputs and bipolar
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Dual-in-line
Input Circuit Pattern:
8 input
Design Function And Quantity:
1 converter, digital to analog
Terminal Surface Treatment:
Gold
Voltage Rating And Type Per Characteristic:
18.0 volts power source
Time Rating Per Chacteristic:
23000.00 nanoseconds propagation delay time, low to high level output and 23000.00 nanoseconds propagation delay time, high to low
level output
Precious Material And Location:
Terminals gold
Precious Material:
Gold
Terminal Type And Quantity:
14 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli