NSN 5962-01-015-0267

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-015-0267 **Body Length:** Between 0.750 inches and 0.795 inches **Body Width:** Between 0.245 inches and 0.300 inches **Body Height:** Between 0.120 inches and 0.195 inches **Maximum Power Dissipation Rating:** 76.8 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Monolithic and hermetically sealed and negative outputs and positive outputs and dynamic and low power and w/storage and 2-phase and w/enable and w/register output **Inclosure Material:** Glass and metal **Inclosure Configuration:** Dual-in-line **Output Logic Form:** P-type metal oxide-semiconductor logic **Input Circuit Pattern:** Triple 2 input **Case Outline Source And Designator:** -0-001-ag joint electron device engineering council **Time Rating Per Chacteristic:** 200.00 nanoseconds propagation delay time, low to high level output and 200.00 nanoseconds propagation delay time, high to low level output **Precious Material And Location:** Terminals gold and body gold **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure: Demilitarization:**

Yes - demil/mli

Fiig:

A458a0