# NSN 5962-01-021-6680

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-021-6680 **Body Length:** Between 0.240 inches and 0.270 inches **Body Width:** 0.260 inches **Body Height:** 0.070 inches **Maximum Power Dissipation Rating:** 13.8 milliwatts **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Storage Tempurature Range: -65.0/+150.0 degrees celsius **Features Provided:** Hermetically sealed and monolithic and positive outputs **Inclosure Material:** Ceramic and glass **Inclosure Configuration:** Flat pack **Output Logic Form:** Transistor-transistor logic **Input Circuit Pattern:** Dual 4 input **Design Function And Quantity:** 2 expander, and-or **Terminal Surface Treatment:** Solder **Voltage Rating And Type Per Characteristic:** 5.5 volts power source

#### **Time Rating Per Chacteristic:**

6.00 nanoseconds propagation delay time, low to high level output

### **Test Data Document:**

27963-57535900 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# **Terminal Type And Quantity:**

14 flat leads

Shelf Life:

N/a

**Unit Of Measure:** 

--

# **Demilitarization:**

Yes - demil/mli

Fiig:

A458a0