NSN 5962-01-023-3276

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-023-3276

View Online at https://aerobasegroup.com/nsn/5962-01-023-3276
Body Length:
Between 0.365 inches and 0.375 inches
Body Width:
Between 0.245 inches and 0.252 inches
Body Height:
Between 0.115 inches and 0.125 inches
Maximum Power Dissipation Rating:
535.0 milliwatts
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Hats-auto test set fscm 12436
Features Provided:
Monolithic and negative outputs and positive outputs
Inclosure Material:
Plastic
Inclosure Configuration:
Dual-in-line
Output Logic Form:
P-type metal oxide-semiconductor logic
Input Circuit Pattern:
4 input
Design Function And Quantity:
2 shift register, static
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
0.3 volts power source
Time Rating Per Chacteristic:
450.00 nanoseconds propagation delay time, low to high level output
Terminal Type And Quantity:
8 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig:

A458a0