

View Online at <https://aerobasegroup.com/nsn/5962-01-024-0976>

Body Length:

Between 1.130 inches and 1.260 inches

Body Width:

Between 0.475 inches and 0.530 inches

Body Height:

Between 0.120 inches and 0.140 inches

Maximum Power Dissipation Rating:

25.0 milliwatts

Operating Temperature Range:

+0.0/+75.0 degrees celsius

Storage Temperature Range:

-65.0/+150.0 degrees celsius

End Application:

OI-152-bq fscm 49956

Features Provided:

Hermetically sealed and monolithic and edge triggered and high speed and true/complementary and w/enable and w/buffered output and resettable

Inclosure Material:

Ceramic and glass

Inclosure Configuration:

Dual-in-line

Output Logic Form:

P-type metal oxide-semiconductor logic

Input Circuit Pattern:

10 input

Design Function And Quantity:

1 counter, binary coded decimal

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

7.5 volts power source

Time Rating Per Characteristic:

15.00 nanoseconds propagation delay time, low to high level output

Terminal Type And Quantity:

24 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0