## NSN 5962-01-024-4400

Digital Microcircuit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5962-01-024-4400

O V E	erall	пе	u	
			ъ.	

Between 0.325 inches and 0.400 inches

**Body Length:** 

0.785 inches

**Body Width:** 

Between 0.220 inches and 0.310 inches

**Body Height:** 

Between 0.140 inches and 0.185 inches

**Maximum Power Dissipation Rating:** 

200.0 milliwatts

**Operating Tempurature Range:** 

-55.0/+125.0 degrees celsius

Storage Tempurature Range:

-65.0/+175.0 degrees celsius

**Features Provided:** 

Hermetically sealed and monolithic

**Inclosure Material:** 

Ceramic and glass

**Inclosure Configuration:** 

Dual-in-line

**Output Logic Form:** 

Complementary-metal oxide-semiconductor logic

**Input Circuit Pattern:** 

7 input

**Design Function And Quantity:** 

2 gate, nor

**Case Outline Source And Designator:** 

D-1 mil-m-38510

**Terminal Surface Treatment:** 

Solder

**Voltage Rating And Type Per Characteristic:** 

15.0 volts power source

**Test Data Document:** 

81349-mil-m-38510 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Terminal Type And Quantity:**

14 printed circuit

**Specification Data:** 

81349-mil-m-38510/52 government specification

Shelf Life:

N/a

**Unit Of Measure:** 

--

## NSN 5962-01-024-4400

Digital Microcircuit - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A458a0