

View Online at <https://aerobasegroup.com/nsn/5962-01-026-2459>

Body Length:

0.870 inches

Body Width:

0.250 inches

Body Height:

0.180 inches

Operating Temperature Range:

+0.0/+70.0 degrees celsius

Storage Temperature Range:

-65.0/+150.0 degrees celsius

End Application:

Virginia class cgn (41), arleigh burke class ddg, spruance class dd (963), los angeles class ssn (688), ticonderoga class c (947), forrestal class cv, oliver perry class ffg, sturgeon class ssn (637), wasp class lhd, austin ship class lpd-4 amphibious transport docks.

Features Provided:

Programmable and high speed and expandable and w/open collector and w/enable

Inclosure Material:

Plastic

Inclosure Configuration:

Dual-in-line

Output Logic Form:

Transistor-transistor logic

Input Circuit Pattern:

6 input

Criticality Code Justification:

Feat

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

7.0 volts power source

Time Rating Per Characteristic:

50.00 nanoseconds propagation delay time, low to high level output and 50.00 nanoseconds propagation delay time, high to low level output

Memory Device Type:

Rom

Memory Capacity:

Unknown

Special Features:

Weapon system essential

Terminal Type And Quantity:

16 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A458a0