# NSN 5962-01-029-5080

Memory Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-029-5080

Body	Length:

0.440 inches

**Body Width:** 

0.285 inches

Body Height:

0.085 inches

**Maximum Power Dissipation Rating:** 

715.0 milliwatts

**Operating Tempurature Range:** 

-55.0/+125.0 degrees celsius

#### Storage Tempurature Range:

-65.0/+150.0 degrees celsius

#### **Features Provided:**

Programmed and monolithic

#### **Inclosure Material:**

Ceramic

#### Inclosure Configuration:

Flat pack

#### Input Circuit Pattern:

10 input

#### **Current Rating Per Characteristic:**

125.00 milliamperes reverse current, dc absolute

## **Terminal Surface Treatment:**

Solder

#### Voltage Rating And Type Per Characteristic:

-0.5 volts power source and 7.0 volts power source

#### **Time Rating Per Chacteristic:**

85.00 nanoseconds propagation delay time, high to low level output and 85.00 nanoseconds propagation delay time, low to high level output

Memory Device Type:

Prom

# Terminal Type And Quantity:

16 flat leads

# Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

#### Fiig:

A458a0