

View Online at <https://aerobasegroup.com/nsn/5962-01-030-2107>

Body Length:

2.000 inches

Body Width:

0.500 inches

Body Height:

0.170 inches

Operating Temperature Range:

-0.0/+70.0 degrees celsius

Storage Temperature Range:

-55.0/+150.0 degrees celsius

End Application:

Multiplexer fscm 52483

Features Provided:

Hermetically sealed and positive outputs and asynchronous and edge triggered and resettable and synchronous and w/disable and w/enable and w/storage and w/strobe and 3-state output

Inclosure Material:

Plastic

Inclosure Configuration:

Dual-in-line

Output Logic Form:

Complementary-metal oxide-semiconductor logic

Input Circuit Pattern:

34 input

Design Function And Quantity:

1 transmitter

Terminal Surface Treatment:

Solder

Voltage Rating And Type Per Characteristic:

-20.0 volts power source and 0.3 volts power source

Time Rating Per Characteristic:

500.00 nanoseconds propagation delay time, low to high level output

Test Data Document:

52483-800176 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

40 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A458a0