# NSN 5962-01-030-9495

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-030-9495

## **Body Outside Diameter:**

Between 0.335 inches and 0.370 inches

## **Body Height:**

Between 0.165 inches and 0.185 inches

# Maximum Power Dissipation Rating:

600.0 milliwatts

## **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

## Storage Tempurature Range:

-65.0/+150.0 degrees celsius

## **End Application:**

Test station display fscm 81755

## Features Provided:

Hermetically sealed and monolithic and high speed and negative outputs and positive outputs

### **Inclosure Material:**

## Glass and metal

## Inclosure Configuration:

Can

## **Input Circuit Pattern:**

2 input

## **Design Function And Quantity:**

1 comparator, voltage, differential

## Case Outline Source And Designator:

T0-100 joint electron device engineering council

## **Terminal Surface Treatment:**

Tin

## **Time Rating Per Chacteristic:**

15.00 nanoseconds propagation delay time, low to high level output

## Shelf Life:

N/a

## Unit Of Measure:

```
--
```

# Demilitarization:

Yes - demil/mli

### Fiig:

A458a0