NSN 5962-01-032-2016

Linear Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-032-2016

Body Outside Diameter:
Between 0.480 inches and 0.520 inches
Body Height:
0.260 inches
Operating Tempurature Range:
-54.0/+85.0 degrees celsius
Storage Tempurature Range:
-65.0/+125.0 degrees celsius
End Application:
An/alq-122 fscm 94990
Features Provided:
Hermetically sealed and hybrid and positive outputs
Inclosure Material:
Metal
Inclosure Configuration:
Can
Input Circuit Pattern:
2 input
Design Function And Quantity:
1 amplifier, ultra high frequency and 1 amplifier, very high frequency
Case Outline Source And Designator:
T0-8 joint electron device engineering council
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
15.0 volts power source
Test Data Document:
94990-51-+04255f drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
4 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A458a0