NSN 5962-01-032-4945

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-032-4945

| view Online at https://aerobasegroup.com/hsn/5962-01-05. |
|--|
| Body Length: |
| Between 0.750 inches and 0.780 inches |
| Body Width: |
| Between 0.245 inches and 0.275 inches |
| Body Height: |
| Between 0.140 inches and 0.160 inches |
| Maximum Power Dissipation Rating: |
| 220.0 milliwatts |
| Operating Tempurature Range: |
| -0.0/+75.0 degrees celsius |
| Storage Tempurature Range: |
| -65.0/+175.0 degrees celsius |
| Features Provided: |
| Hermetically sealed and monolithic and negative outputs |
| Inclosure Material: |
| Ceramic |
| Inclosure Configuration: |
| Dual-in-line |
| Output Logic Form: |
| Emitter-coupled logic |
| Input Circuit Pattern: |
| Dual 4 input |
| Design Function And Quantity: |
| 2 flip-flop, r-s, clocked |
| Terminal Surface Treatment: |
| Solder |
| Voltage Rating And Type Per Characteristic: |
| 8.0 volts power source |
| Terminal Type And Quantity: |
| 16 printed circuit |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |
| |

A458a0