

View Online at <https://aerobasegroup.com/nsn/5962-01-034-2143>

Body Length:

Between 1.260 inches and 1.280 inches

Body Width:

Between 0.760 inches and 0.780 inches

Body Height:

Between 0.190 inches and 0.210 inches

Maximum Power Dissipation Rating:

2.5 watts

Operating Temperature Range:

-55.0/+110.0 degrees celsius

Storage Temperature Range:

-65.0/+150.0 degrees celsius

End Application:

An/asn-124 fscm 35351

Features Provided:

Hermetically sealed and multichip and hybrid and adjustable and negative outputs and positive outputs

Inclosure Material:

Glass and metal

Inclosure Configuration:

Dual-in-line

Input Circuit Pattern:

10 input

Design Function And Quantity:

1 regulator, voltage

Terminal Surface Treatment:

Gold

Voltage Rating And Type Per Characteristic:

15.0 volts power source

Time Rating Per Characteristic:

30.00 nanoseconds propagation delay time, low to high level output and 50.00 nanoseconds propagation delay time, low to high level output

Precious Material And Location:

Terminals gold and body gold

Test Data Document:

16224-985124 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

24 printed circuit

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A458a0