NSN 5962-01-035-7483

Digital Microcircuit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5962-01-035-7483

View Online at https://aerobasegroup.com/nsn/5962-01-035-7483
Body Length:
Between 1.990 inches and 2.100 inches
Body Width:
Between 0.514 inches and 0.588 inches
Body Height:
Between 0.190 inches and 0.210 inches
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Storage Tempurature Range:
-65.0/+150.0 degrees celsius
End Application:
Tac-tmds fscm 05869
Features Provided:
Hermetically sealed and monolithic and positive outputs and w/enable and w/strobe and resettable and programmable
Inclosure Material:
Ceramic and glass
Inclosure Configuration:
Dual-in-line Dual-in-line
Output Logic Form:
N-type metal oxide-semiconductor logic
Input Circuit Pattern:
38 input
Design Function And Quantity:
1 converter, interface
Terminal Surface Treatment:
Solder
Voltage Rating And Type Per Characteristic:
-1.0 volts power source and 5.5 volts power source
Time Rating Per Chacteristic:
500.00 nanoseconds propagation delay time, low to high level output
Test Data Document:
05869-725000-475 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
40 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Fiig:

A458a0

Yes - demil/mli